

ON ACCESS & POWER ESS & POWER IN INTEGRATION

— STREAMLINE DESIGN & DEPLOYMENT

 | Altronix

TRIVE™



Altronix

TROVE

Easily combine Altronix power and accessories with access controllers from the industry's leading manufacturers - Reducing installation and labor costs!

- Trove streamlines access control design and deployment, increasing profits and ROI.
- Removable backplanes allow you to configure and test prior to on-site installation.
- Trove enclosures are available in different sizes and configurations to meet your project scope – including wall mount, rack mount and outdoor models.
- **Pre-configured kits are available with power distribution, finger duct and wire assemblies.**
- Combine both access and intrusion modules for various brands - all in one enclosure, for added value!
- Optional LINQ™ Networked Power Management Technology allows you remotely monitor, control and report power/diagnostics, streamlining service and maintenance operations by leveraging the network.
- Altronix products are TAA & NDAA compliant
- Our free online Trove System Design tool simplifies the design and product selection process: www.altronix.com/system_design_tools/trove



TROVE1

- Knockouts accommodate up to 1.5" conduit
 - Accommodates two (2) 12VDC/7AH batteries
- Dimensions: 18" H x 14.5" W x 4.625" D

TROVE2

- Knockouts accommodate up to 2.0" conduit
 - Accommodates four (4) 12VDC/12AH batteries
- Dimensions: 27.25" H x 21.75" W x 6.5" D

TROVE3

- Knockouts accommodate up to 2.0" conduit
 - Accommodates four (4) 12VDC/12AH batteries
- Dimensions: 36.12" H x 30.12" W x 7.06" D



TROVE OUTDOOR


- NEMA 4/4X, IP66-11 Rated Outdoor Enclosure
 - Lockable latches and integral flanges simplify mounting
- Dimensions: 17.53" H x 15.3" W x 6.67" D



TROVE RACK MOUNT

- 2U, 24" or 36" deep rack drawer on extendable rails
 - Integrated Z bracket on rear facilitates wiring
- Dimensions: 3.375" H x 19" W x 24" D


Altronix Model	Description	System Capacity	Compatible Mercury Models*	
<i>Trove 1 Series - Accommodates Altronix Power and Distribution with Controllers</i>				
TROVE1M1	Enclosure + Backplane	8-Doors	MERCURY: EP(LP)1501, EP(LP)1502, EP(LP)2500, EP(LP)4502, MR16IN(-S3), MR16OUT(-S3), MR50(-S3), MR51e/MR62e, MR52(-S3) and (M5-)MUX8	
TM1	Backplane only			
<i>Trove 2 Series - Accommodates Altronix Power and Distribution with Controllers</i>				
TROVE2M2	Enclosure + Backplane	12-Doors		
TM2	Backplane only			
<i>Trove 3 Series - Accommodates Altronix Power and Distribution with Controllers</i>				
TROVE3M3	Enclosure + Backplane	24-Doors		
TM3	Backplane only			
<i>Trove 2 and Trove 3 Door Backplane only</i>				
TMV2	Door Backplane only	12-Doors		
<i>Compact Mercury/LenelS2 Enclosures</i>				
TM250	Enclosure	2-Doors	MERCURY: EP(LP)1501 or MR51e/MR62e	
TM400	Enclosure	3-Doors	MERCURY: EP(LP)1501, EP(LP)1502, EP(LP)2500, EP(LP)4502, MR16IN(-S3), MR16OUT(-S3), MR50(-S3), MR51e/MR62e, and MR52(-S3)	



T1MK14S
4-Door Access System with Power

* Also compatible with these Authentic Mercury Partners:
AccessNsite, Avigilon, BadgePass, BluBox, Feenics, Genetec, Identocard, IMRON, Johnson Controls, Kastle, Keri Systems, Lenel/S2, LockState, Maxxess, Midpoint Security, NLSS, Open Options, Panasonic Video Insight, Quintron, RS2, Schneider Electric, Vanderbilt

Altronix Model	Description	System Capacity	Compatible Mercury Models*	
Trove 1 Series Pre-assembled Kits				
<i>Fuse Protected Models</i>				
T1MK1F4	eFlow4NB, ACM4, VR6	4-Doors	MERCURY: EP(LP)1501, EP(LP)1502, EP(LP)2500, EP(LP)4502, MR16IN(-S3), MR16OUT(-S3), MR50(-S3), MR51e/MR62e, MR52(-S3), (M5-)MUX8	
T1MK1F4S	eFlow4NB, ACM4, VR6, PDS8			
<i>PTC Protected Models</i>				
T1MK1F4D	eFlow4NB, ACM4CB, VR6	4-Doors		
T1MK1F4SD	eFlow4NB, ACM4CB, VR6, PDS8CB			
Trove 2 Pre-assembled Kits				
<i>Fuse Protected Models</i>				
T2MK3F4	eFlow6NB, ACM4, VR6, PDS8	4-Doors		
T2MK3F8	eFlow6NB, ACM8, VR6, PDS8	8-Doors		
T2MK7F8	eFlow104NB, ACM8, VR6, PDS8			
<i>PTC Protected Models</i>				
T2MK3F4D	eFlow6NB, ACM4CB, VR6, PDS8CB	4-Doors		
T2MK3F8D	eFlow6NB, ACM8CB, VR6, PDS8CB	8-Doors		
T2MK7F8D	eFlow104NB, ACM8CB, VR6, PDS8CB			
Trove 2 Series Pre-assembled Kits (Utilizing TMV2 Door Backplane)				
<i>Fuse Protected Models</i>				
T2MK75F16	eFlow102NB, eFlow104NB, 2-ACM8, PD16W	16-Doors		
T2MK77F16	2-eFlow104NB, 2-ACM8, VR6, PDS8			
<i>PTC Protected Models</i>				
T2MK75F16D	eFlow102NB, eFlow104NB, 2-ACM8CB, PD16WCB	16-Doors		
T2MK77F16D	2-eFlow104NB, 2-ACM8CB, VR6, PDS8CB			
Trove 3 Series Pre-assembled Kits				
<i>Fuse Protected Models</i>				
T3MK75F16	eFlow102NB, eFlow104NB, 2-ACM8, PD8UL, RSB2	16-Doors		
T3MK77F16	2-eFlow104NB, 2-ACM8, 2-PD8UL, RSB2			
<i>PTC Protected Models</i>				
T3MK75F16D	eFlow102NB, eFlow104NB, 2-ACM8CB, PD8ULCB, RSB2	16-Doors		
T3MK77F16D	2-eFlow104NB, 2-ACM8CB, 2-PD8ULCB, RSB2			




T2MK75F16
 16-Door Access System with Power

* Also compatible with these Authentic Mercury Partners:
 AccessNsite, Avigilon, BadgePass, BluBox, Feenics, Genetec, Identicon, IMRON, Johnson Controls, Kastle, Keri Systems, Lenel/S2, LockState, Maxxess, Midpoint Security, NLSS, Open Options, Panasonic Video Insight, Quintron, RS2, Schneider Electric, Vanderbilt

Pre-wired Access and Power Integration Kits

Altronix Model	Description	System Capacity	Compatible MERCURY* Models
<i>Trove2 Series - Includes Power Distribution, Wire Assemblies for Controllers and Finger-duct for Wire Management</i>			
<i>Fuse Protected Models</i>			
T2M7XK1	Trove2M2 with eFlow104NB, ACMS8, VR6, PDS8, RSB1	8-Doors	1-EP(LP)1502 and 3-MR52(-S3)
T2M7XK2		6-Doors	1-EP(LP)2500 and 3-MR52(-S3)
T2M7XK3		8-Doors	4-MR52(-S3)
<i>PTC Protected Models</i>			
T2M7XK1D	Trove2M2 with eFlow104NB, ACMS8CB, VR6, PDS8CB, RSB1	8-Doors	1-EP(LP)1502 and 3-MR52(-S3)
T2M7XK2D		6-Doors	1-EP(LP)2500 and 3-MR52(-S3)
T2M7XK3D		8-Doors	4-MR52(-S3)
220VAC units available upon request, add suffix "V" (T2M7XK1V)			




* Also compatible with these Authentic Mercury Partners:
AccessNsite, Avigilon, BadgePass, BluBox, Feenics, Genetec, Identocard, IMRON, Johnson Controls, Kastle, Keri Systems, Lenel/S2, LockState, Maxxess, Midpoint Security, NLSS, Open Options, Panasonic Video Insight, Quintrion, RS2, Schneider Electric, Vanderbilt

Pre-wired Access and Power Integration Kits

Altronix Model	Description	System Capacity	Compatible MERCURY* Models
Trove3 Series - Includes Power Distribution, Wire Assemblies for Controllers and Finger-duct for Wire Management			
<i>Fuse Protected Models</i>			
T3M77XK1	Trove3M3 with 2-eFlow104NB, 2-ACMS8, 2-VR6, 2-PDS8, RSB2	16-Doors	1-EP(LP)1502 and 7-MR52(-S3)
T3M77XK2		14-Doors	1-EP(LP)2500 and 7-MR52(-S3)
T3M77XK3		16-Doors	8-MR52(-S3)
T3M7724XK1	Trove3M3 with TMV2 -2-eFlow104NB, 2-ACMS12, 2-PDS8, RSB2	24-Doors	1-EP(LP)1502 and 11-MR52(-S3)
T3M7724XK2		22-Doors	1-EP(LP)2500 and 11-MR52(-S3)
T3M7724XK3		24-Doors	12-MR52(-S3)
<i>PTC Protected Models</i>			
T3M77XK1D	Trove3M3 with 2-eFlow104NB, 2-ACMS8CB, 2-VR6, 2-PDSCB, RSB2	16-Doors	1-EP(LP)1502 and 7-MR52(-S3)
T3M77XK2D		14-Doors	1-EP(LP)2500 and 7-MR52(-S3)
T3M77XK3D		16-Doors	8-MR52(-S3)
T3M7724XK1D	Trove3M3 with TMV2 - 2-eFlow104NB, 2-ACMS12CB, 2-PDS8CB, RSB2	24-Doors	1-EP(LP)1502 and 11-MR52(-S3)
T3M7724XK2D		22-Doors	1-EP(LP)2500 and 11-MR52(-S3)
T3M7724XK3D		24-Doors	12-MR52(-S3)

220VAC units available upon request, add suffix "V" (T3M77XK1V)




* Also compatible with these Authentic Mercury Partners:
AccessNsite, Avigilon, BadgePass, BluBox, Feenics, Genetec, Identicon, IMRON, Johnson Controls, Kastle, Keri Systems, Lenel/S2, LockState, Maxxess, Midpoint Security, NLSS, Open Options, Panasonic Video Insight, Quintron, RS2, Schneider Electric, Vanderbilt

Pre-wired Access and Power Integration Kits

Altronix Model	Description	System Capacity	Compatible Mercury* Models
<i>Trove1 Series - Includes Power Distribution, Wire Assemblies for Controllers and Wire Magnets for Management</i>			
<i>Fuse Protected Models</i>			
T1M1CK1	Trove1M1 with eFlow4NB, ACM4, VR6, PDS8, RSB1 (WM1 - Wire Magnets)	4-Doors	1-EP(LP)1502 and 1-MR52(-S3)
T1M1CK2		2-Doors	1-EP(LP2500 and 1-MR52(-S3)
T1M1CK3		4-Doors	2-MR52(-S3)
<i>PTC Protected Models</i>			
T1M1CK1D	Trove1M1 with eFlow4NB, ACM4CB, VR6, PDS8CB, RSB1(WM1 - Wire Magnets)	4-Doors	1-EP(LP)1502 and 1-MR52(-S3)
T1M1CK2D		2-Doors	1-EP(LP2500 and 1-MR52(-S3)
T1M1CK3D		4-Doors	2-MR52(-S3)
<i>Managed Fuse Protected Models</i>			
T1M1CK1Q	Trove1M1 with eFlow4NB, VR6, LINQ8PD, RSB1 (WM1 - Wire Magnets)	4-Doors	1-EP(LP)1502 and 1-MR52(-S3)
T1M1CK2Q		2-Doors	1-EP(LP2500 and 1-MR52(-S3)
T1M1CK3Q		4-Doors	2-MR52(-S3)
<i>Managed PTC Protected Models</i>			
T1M1CK1DQ	Trove1M1 with eFlow4NB, VR6, LINQ8PDCB, RSB1 (WM1 - Wire Magnets)	4-Doors	1-EP(LP)1502 and 1-MR52(-S3)
T1M1CK1DQ		2-Doors	1-EP(LP2500 and 1-MR52(-S3)
T1M1CK1DQ		4-Doors	2-MR52(-S3)


220VAC units available upon request, add suffix "V" (T1M1CK1V)



Pre-wired Access and Power Integration Kits

Altronix Model	Description	System Capacity	Compatible Mercury* Models
Trove2 Series - Includes Power Distribution, Wire Assemblies for Controllers and Wire Magnets for Management			
<i>Fuse Protected Models</i>			
T2M7CK1	Trove2M2 with eFlow104NB, ACMS8, VR6, PDS8, RSB1 (WM1 - Wire Magnets)	8-Doors	1-EP(LP)1502 and 3-MR52(-S3)
T2M7CK2		6-Doors	1-EP(LP)2500 and 3-MR52(-S3)
T2M7CK3		8-Doors	4-MR52(-S3)
<i>PTC Protected Models</i>			
T2M7CK1D	Trove2M2 with eFlow104NB, ACMS8CB, VR6, PDS8CB, RSB1 (WM1 - Wire Magnets)	8-Doors	1-EP(LP)1502 and 3-MR52(-S3)
T2M7CK2D		6-Doors	1-EP(LP)2500 and 3-MR52(-S3)
T2M7CK3D		8-Doors	4-MR52(-S3)
Trove3 Series - Includes Power Distribution, Wire Assemblies for Controllers and Wire Magnets for Management			
<i>Fuse Protected Models</i>			
T3M77CK1	Trove3M3 with 2-eFlow104NB, 2-ACMS8, 2-VR6, 2-PDS8, RSB2 (WM1 - Wire Magnets)	16-Doors	1-EP(LP)1502 and 7-MR52(-S3)
T3M77CK2		14-Doors	1-EP(LP)2500 and 7-MR52(-S3)
T3M77CK3		16-Doors	8-MR52(-S3)
<i>PTC Protected Models</i>			
T3M77CK1D	Trove3M3 with 2-eFlow104NB, 2-ACMS8CB, 2-VR6, 2-PDSCB, RSB2 (WM1 - Wire Magnets)	16-Doors	1-EP(LP)1502 and 7-MR52(-S3)
T3M77CK2D		14-Doors	1-EP(LP)2500 and 7-MR52(-S3)
T3M77CK3D		16-Doors	8-MR52(-S3)

220VAC units available upon request, add suffix "V" (T2M7CK1V)



* Also compatible with these Authentic Mercury Partners:
AccessNsite, Avigilon, BadgePass, BluBox, Feenics, Genetec, Identicon, IMRON, Johnson Controls, Kastle, Keri Systems, Lenel/S2, LockState, Maxxess, Midpoint Security, NLSS, Open Options, Panasonic Video Insight, Quintron, RS2, Schneider Electric, Vanderbilt


Maximum-density Access and Power Integration

Altronix Model	Description	System Capacity	Compatible MERCURY Models
<i>Trove3 Series with Angled Brackets for high capacity systems</i>			
TROVE3MBK3	Enclosure + Backplane with 36-BR3M Angled Brackets	24-Doors (with power)	EP(LP)1502, EP(LP)2500, EP(LP)4502, MR16IN(-S3), MR16OUT(-S3), MR52(-S3) and (M5-)MUX8
TMB3	Backplane only	36-Doors (with controllers only)	
<i>Trove3 Series - Includes Power Distribution, Wire Assemblies for Controllers and Wire Magnets for Management</i>			
T3MB755K1	Trove3MBK3 with 1-eFlow104NB, 2-eFlow102NB, 3-ACMS8, 3-PDS8, RSB2, RSB1 (WM1 - Wire Magnets)	24-Doors	1-EP(LP)1502 and 11-MR52(-S3)
T3MB777K1	Trove3MBK3 with 3-eFlow104NB, 3-ACMS8, 3-PDS8, RSB2, RSB1 (WM1 - Wire Magnets)		
<i>Optional Accessories for TROVE3MBK3</i>			
BR3M2PK	2-Pack of Angled Brackets for TROVE3MBK3		
TROVE3BWC	Battery/wire enclosure accommodates up to 4-12VDC / 18AH batteries. Designed to mount above or below Trove3 enclosures.		
TROVE3SWC	Battery/wire enclosure accommodates up to 4-12VDC / 40AH batteries. Designed to mount on the side of Trove3 enclosures.		


Removeable Backplane
For ease of deployment

Innovative Angle Brackets
For Power distribution
and Mercury hardware

Custom Wiring Options
For power distribution
and controller connections



Altronix Model	Description	System Capacity	Compatible Mercury* Models
<i>Trove Outdoor Series - Weatherproof Enclosure for vehicle/pedestrian gate access</i>			
TROVE1M1WP	NEMA4/4X IP66 Outdoor Enclosure	4-Doors	(LP)1501, EP(LP)1502, EP(LP)4502, MR16IN(-S3), MR16OUT(-S3), MR50(-S3), MR62e, MR52(-S3), (M5-), MUX8



* Also compatible with these Authentic Mercury Partners:
AccessNsite, Avigilon, BadgePass, BluBox, Feenics, Genetec, Identicon, IMRON, Johnson Controls, Kastle, Keri Systems, Lene/S2, LockState, Maxxess, Midpoint Security, NLSS, Open Options, Panasonic Video Insight, Quintron, RS2, Schneider Electric, Vanderbilt

Altronix®
TRQVE™

Rack Mount Access and Power Integration



Front view →




*Boards not included

Cam Lock

Power LEDs

← Rear view



Line Cord

Z Bracket Included

2U Drawer on extendable rails for easy access



Altronix Model	Power Supply/Charger(s)	Description/Sub-Assemblies	System Capacity	Compatible Mercury* Models
<i>Mercury Trove 24" Rack Series - Accommodates Altronix Power and Distribution with Controllers</i>				
TROVE1M1R	N/A	2U Rack 19" Depth Enclosure + Backplane	8-Doors	*Mercury: EP(LP)1501, EP(LP)1502, EP(LP)4502, MR16IN(-S3), MR16OUT(-S3), MR50(-S3), MR51e/MR62e, MR52(-S3), (M5-)MUX8
<i>Trove 24" Rack Series Pre-assembled Kits</i>				
T1RM3F4	eFlow6NB	ACM4, VR6, PDS8	4-Doors	
T1RM3F4D	eFlow6NB	ACM4CB, VR6, PDS8CB		
<i>Mercury Trove 36" Rack Series - Accommodates Altronix Power and Distribution with Controllers</i>				
TROVE2M2R	N/A	2U Rack 19" Depth Enclosure + Backplane	8-Doors	*Mercury: EP(LP)1501, EP(LP)1502, EP(LP)4502, MR16IN(-S3), MR16OUT(-S3), MR50(-S3), MR51e/MR62e, MR52(-S3), (M5-)MUX8
<i>Trove 24" Rack Series Pre-assembled Kits</i>				
T2RM7F8S	eFlow104NB	ACMS8, VR6, PDS8	8-Doors	
T2RM7F8SD		ACMS8CB, VR6, PDS8CB		
T2RM7F8SQ		LINQ8ACM, VR6, PDS8		
T2RM7F8SDQ		LINQ8ACMCB, VR6, PDS8CB		
220VAC units available upon request, add suffix "V" (T1RM3F4V)				



T1RM3F4
4-Door Rack Access System with Power




Optional Accessory:
- RE2 - Rack Mount Battery Enclosure (2U)
Accommodates up to four (4) 12VDC/7AH batteries

* Also compatible with these Authentic Mercury Partners:
AccessNsite, Avigilon, BadgePass, BluBox, Feenics, Genetec, Identocard, IMRON, Johnson Controls, Kastle, Keri Systems, Lenel/S2, LockState, Maxxess, Midpoint Security, NLSS, Open Options, Panasonic Video Insight, Quintron, RS2, Schneider Electric, Vanderbilt

Pre-wired Rack Access and Power Integration Kits

Altronix Model	Description	System Capacity	Compatible Mercury* Models
TroveR 24" Series - Includes Power Distribution, Wire Assemblies for Controllers and Wire Magnets for Management			
T1RM3CK1	Trove1M1R with eFlow6NB, ACM4, VR6, PDS8 (WM1 - Wire Magnets)	4-Doors	1-EP(LP)1502 and 1-MR52(-S3)
T1RM3CK1D	Trove1M1R with eFlow6NB, ACM4CB, VR6, PDS8CB (WM1 - Wire Magnets)		
T1RM7CK1	Trove1M1R with eFlow104NB, ACM4, VR6, PDS8 (WM1 - Wire Magnets)		
T1RM7CK1D	Trove1M1R with eFlow104NB, ACM4CB, VR6, PDS8CB (WM1 - Wire Magnets)		
TroveR 36" Series - Includes Power Distribution, Wire Assemblies for Controllers and Wire Magnets for Management			
PTC Protected Models			
T1M1CK1D	Trove2M2R with eFlow104NB, ACMS8, VR6, PDS8 (WM1 - Wire Magnets)	8-Doors	1-EP(LP)1502 and 3-MR52(-S3)
T1M1CK2D	Trove2M2R with eFlow104NB, ACMS8CB, VR6, PDS8CB (WM1 - Wire Magnets)		
T1M1CK3D	Trove2M2R with eFlow104NB, LINQ8ACM, VR6, PDS8 (WM1 - Wire Magnets)		
T1M1CK1Q	Trove2M2R with eFlow104NB, LINQ8ACMCB, VR6, PDS8CB (WM1 - Wire Magnets)		
220VAC units available upon request, add suffix "V" (T1RM3CK1V)			




T1RM7CK1D
8-Door Rack Access System with Power

* Also compatible with these Authentic Mercury Partners:


AccessNsite, Avigilon, BadgePass, BluBox, Feenics, Genetec, Identicon, IMRON, Johnson Controls, Kastle, Keri Systems, Lenel/S2, LockState, Maxxess, Midpoint Security, NLSS, Open Options, Panasonic Video Insight, Quintron, RS2, Schneider Electric, Vanderbilt

Power Supply/Chargers for TROVE Series

Altronix Model	Total Output Power	Number of Outputs	Built-in Battery Charger	Input	Dimensions (L x W x H)
ULXB Series Power Supply/Chargers					
AL400ULXB2	12VDC @ 4A or 24VDC @ 3A	1	SLA	115VAC	7.1" x 4.5" x 1.44"
AL600ULXB	12VDC or 24VDC @ 6A				7.1" x 4.5" x 2.6"
AL1012ULXB	12VDC @ 10A				7.5" x 4.5" x 2.25"
AL1024ULXB2	24VDC @ 10A				8.4" x 4.5" x 1.95"
AL400ULXB2V	12VDC @ 4A or 24VDC @ 3A			220VAC	7.1" x 4.5" x 1.44"
AL600ULXB220	12VDC or 24VDC @ 6A				7.1" x 4.5" x 2.6"
AL1012ULXB220	12VDC @ 10A				7.5" x 4.5" x 2.25"
AL1024ULXB2V	24VDC @ 10A				8.4" x 4.5" x 1.95"
eFlow Series Power Supply/Chargers					
eFlow4NB	12VDC or 24VDC @ 4A	1 Main Output, 1 Aux. Output (1A)	SLA	115VAC	7.5" x 4.6" x 1.75"
eFlow6NB	12VDC or 24VDC @ 6A				7.5" x 4.6" x 1.75"
eFlow102NB	12VDC @ 10A				7.5" x 4.6" x 1.75"
eFlow104NB	24VDC @ 10A				8.25" x 4.56" x 1.75"
eFlow4NBV	12VDC or 24VDC @ 4A			220VAC	7.5" x 4.6" x 1.75"
eFlow6NBV	12VDC or 24VDC @ 6A				7.5" x 4.6" x 1.75"
eFlow102NBV	12VDC @ 10A				7.5" x 4.6" x 1.75"
eFlow104NBV	24VDC @ 10A				8.25" x 4.56" x 1.75"
Tango PoE Driven Power Supply/Charger					
Tango1B	12VDC up to 6.25A (75W) and 24VDC up to 3A (75W)	2	LiFePO4	90W 802.3bt PoE	7.625" x 4.125" x 1.25"



AL600ULXB



eFlow104NB

PoE Power Sourcing Equipment

Altronix Model	Description
NetWay1BT	Single Port 802.3bt Converter/Injector - 115/230VAC Input, 90W Output
NetWay8BT	8-Port Managed 802.3bt Midspan Injector supplies 90W per port (480W total power)




NetWay1BT



NetWay8BT

Altronix Model	Description	Number of Outputs	Dimensions
ACM4 / ACM4CB	4-Output Access Power Controller	4	5.175" x 3.36" x 1.25"
ACM8 / ACM8CB	8-Output Access Power Controller	8	8" x 4.5" 1.25"
ACMS8 / ACMS8CB	Dual Input, 8-Output Access Power Controller	8	8" x 4.5" 1.25"
ACMS8K1 / ACMS8CBK1	Dual Input, 8-Output Access Power Controller and Voltage Regulator Kit	8	8" x 4.5" 2.125"
ACMS12 / ACMS12CB	Dual Input, 12-Output Access Power Controller	12	8" x 4.5" 1.25"
LINQ8PD / LINQ8PDCB	Dual Input, 8-Output Network Power Distribution Module - Control, Monitor and report Power/Diagnostics	8	5.5" x 3.625" x 1.25"
LINQ8ACM / LINQ8ACMCB	Dual Input, 8-Output Network Power Access Power Controller - Control, Monitor and report Power/Diagnostics	8	8" x 4.5" x 1.25"
LPD	Low Power Disconnect Module (12/24VDC input)	N/A	2" x 2.75" 1"
MOM5	5-Output Power Distribution Module with Fire Alarm Interface	5	5.25" x 3.5" x 1"
NETWAY5A	5-Port Switch Board Facilitates Network Drops (10/100)	5	5.625" x 3.5" x 1"
NETWAY5B	5-Port Switch Board Facilitates Network Drops (10/100/100)	5	5.625" x 3.5" x 1"
NETWAY5P	5-Port Hardened PoE+ Switch Board	5	5.6" x 3.6" x 0.75"
NETWAY5PQ	5-Port Hardened Managed PoE+ Switch Board	5	5.6" x 3.6" x 0.75"
PD4UL / PD4ULCB	4-Output Power Distribution Module	4	5.21" x 3.25" x 1"
PD8UL / PD8ULCB	8-Output Power Distribution Module	8	5.21" x 3.25" x 1"
PDS8 / PDS8CB	Dual Input, 8-Output Power Distribution Module	8	5.375" x 3" x 1"
PDS8K1 / PDS8CBK1	Dual Input, 8-Output Power Distribution Module and Voltage Regulator Kit	8	5.375" x 3" x 2"
PD16W / PD16WCB	16-Output Power Distribution Module	16	5.875" x 6" x 0.95"
PDS16 / PDS16CB	Dual Input, 16-Output Power Distribution Module	16	5.375" x 3" x 1"
VR6	Stackable Voltage Regulator Converts a 24VDC input to 5VDC or 12VDC at 6A	1	5.375" x 3" x 1"
VR10	Stackable Voltage Regulator Converts a 24VDC input to 5VDC or 12VDC at 10A	1	5.375" x 3" x 1"



Stackable sub-assemblies save valuable enclosure space, allowing for more power distribution and access controllers.

Optional Accessories for TROVE Series

Altronix Model	Description	
BL3	18" Battery Leads (black and red)	
BL4	8" Battery Series Jumper (yellow)	
BL6	68" Battery Leads (black and red)	
BR1	Add-on mounting bracket. Mount additional Altronix sub-assemblies to the enclosure's side wall.	
BT126	12VDC / 7AH Rechargeable Battery	
BT1212	12VDC / 12AH Rechargeable Battery	
BTL125	Rechargeable 12V Lithium Iron Phosphate (LiFePO4) Battery	
CLK1	Thumb Lock. Fits Trove1, Trove2 and Trove3 enclosures.	
DNP1	Altronix DIN Rail Adapter Plate accommodates the following sub-assemblies: ACM4(CB), ACM8(CB), ACM8(CB), ACMS8(CB), ACMS12(CB), LINQ8PD(CB), LINQ8ACM(CB), MOM5, NETWAY5A, NETWAY5B, NETWAY5P, NETWAY5PQ, PD4UL(CB), PD8UL(CB), PDS8(CB), PDS16(CB)	
GB1	Altronix Adapter Plate for Genetec Synergis Cloud Link (For Mercury and HID/Vertx)	
MM4	Mounting Magnets. 26 lbs. holding force. Pack of 4.	
MM8	Mounting Magnets. 26 lbs. holding force. Pack of 8.	
MM12	Mounting Magnets. 26 lbs. holding force. Pack of 12.	
MM24	Mounting Magnets. 26 lbs. holding force. Pack of 24.	
PSC1	Power Supply Protective Cover (Includes standoffs)	
RSB1	Rocker Switch with Bracket - Includes single Master Power ON/OFF Switches and Wires	
RSB2	Rocker Switches with Bracket - Includes two (2) Master Power ON/OFF Switches and Wires	
SPACER1	5/8" Nylon female/female spacers (standoffs) with 6/32 screws. Pack of 25.	
SPACER3	5/8" Aluminum female/female spacers (standoffs) with 6/32 screws. Pack of 25.	
SPACER4	5/8" Nylon male/female spacers (standoffs) with 6/32 screws. Pack of 25.	
SPACER5	5/8" Nylon snap-on spacers (standoffs) with 6/32 screws. Pack of 32.	
SPACER6	1" Aluminum female/female spacers (standoffs) with 6/32 screws. Pack of 4.	
SPACER7	5/8" Aluminum male/female spacers (standoffs) with 6/32 screws. Pack of 25.	
SPACER8	1" Nylon female/female spacers (standoffs) with 6/32 screws. Pack of 4.	
SPACER9	5/8" Aluminum spacers (standoffs) with 4/40 screws. Pack of 8.	
WM5	Magnetic cable tie mount. Accommodates standard zip ties. 16 lbs. holding force. Pack of 5.	
WM10	Magnetic cable tie mount. Accommodates standard zip ties. 16 lbs. holding force. Pack of 10.	
WM25	Magnetic cable tie mount. Accommodates standard zip ties. 16 lbs. holding force. Pack of 25.	
WM100	Magnetic cable tie mount. Accommodates standard zip ties. 16 lbs. holding force. Pack of 100.	

Rev. 0224

ER INTEGRATIO GRATION ACCE CESS & POWER



140 58th Street | Brooklyn, NY 11220 | 718.567.8181 | info@altronix.com