


Trove3

Versatile Access & Power Integration Enclosure

TROVE[™]

Altronix Trove3 can house Altronix backplanes which accommodate various combinations of access controllers and accessories from the industry's leading manufacturers with or without Altronix power supplies and accessories for access systems. Trove systems simplify board layout and wire management, reducing installation time and labor costs.



Trove3

Specifications**Features**

- 16 AWG powder coated steel.
- Convenient knockout configuration:
 - One (1) single knockout 2.415" (2" Conduit).
 - One (1) double knockout 1.948" (1.5" Conduit) / 1.701" (1.25" Conduit).
 - Sixteen (16) double knockouts 1.362" (1" Conduit) / 1.115" (3/4" Conduit).
- Includes cam lock, tamper switch and mounting hardware.

Capacity

- Accommodates up to four (4) 12VDC/12AH batteries.

Agency Listings**UL:**

UL294 - Access Control System.

cUL:

CAN/ULC - s319-05 - Electronic Access Control Systems.

CE

European Conformity

Physical and Environmental**Dimensions (H x W x D)**

36.12" x 30.125" x 7.06" (917.5mm x 768.1mm x 179.3mm).

Product Weight 60 lb. (27.22 kg).**Shipping Weight** 65 lb. (29.5 kg).

Optional Backplanes

Backplane Model	Backplane with Enclosure Model	Manufacturer	Dimensions (H x W x D)
TAM3	TROVE3AM3	AMAG M2510 and M4000	34.0" x 28.0" x 0.3125" (863.6mm x 711.2mm x 7.9mm)
TBL3	TROVE3BL3	Universal Blank Backplane	
TCV3	TROVE3CV3	CDVI	
THW3	TROVE3HW3	Honeywell ProWatch and WinPak	
TKA3	TROVE3KA3	Keyscan	
TM3	TROVE3M3	Mercury	
TSH3	TROVE3SH3	Software House Pro and Ultra	
TSS3	TROVE3SS3	LenelS2	
TV3	TROVE3V3	HID Vertx	

Optional Door Backplanes

Backplane Model	Manufacturer	Dimensions (H x W x D)
TBHD2	Bosch	23.75" x 18.125" x 0.3125" (603.3mm x 460.4mm x 8mm)
TDMD2	DMP Control Panels and Expansion Modules	
THWD2	Honeywell ProWatch and WinPak	
TMV2	Mercury and HID Vertx	

Dimensions and Drawing

Dimensions (H x W x D approximate)
36.12" x 30.125" x 7.06" (917.5mm x 768.1mm x 179.3mm)

